

ELASTRON SA Ag. loannis Str., Ag. loannis Aspropyrgos, 19300, Greece Tel : 210 5515000 Fax : 210 5515015 www.elastron.gr elastron@elastron.gr

Declaration of Performance

No. SYMDECK150-1/13 Rev.3

Product Type	Self-supporting SYMDECK 150 metal sheet			
	S320GD+Z275			
Code of the Product Type	SYMDECK150 S320GD+Z275			
Intended Use	Roofing, external cladding, internal lining			
Manufacturer	ELASTRON SA, Ag.Ioannis Str., Ag. Ioannis,			
	Aspropyrgos, 19300, Greece			
Verification of Constancy	System 4			
Harmonised Standard Reference	EN14782:2006			
	In accordance with the above standard, initial type tests			
	have been performed with the contribution of a third party			
	laboratory and the factory production control (FPC) is in			
	accordance with the above standard's requirements			

Essential Characteristic	Performance			Harmonised Technical Specification
Resistance to Concentrated Force	$0.75 \text{mm} \le $ thickness $\le 1.5 \text{mm}$	Span 13.5 m	>1.2KN	EN14782:2006
Water Permeability	Pass			EN14782:2006
Thermal Expansion Coefficient	$12 \times 10^{-6} \text{K}^{-1}$			EN14782:2006
Release of Regulated Substances	NPD			EN14782:2006
External Fire Performance	NPD			EN14782:2006
Reaction to Fire	NPD			EN14782:2006

The performance of the product identified above is in conformity with the declared performance identified in the table. This declaration of performance is issued in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer Aspropyrgos 18/12/18

Sinapis Mavroidis Technical Director

Tsironis Petros Quality Manager