

## Declaration of Performance

**No. UA/40/75/40**

<b>Product Type</b>	Metal framing components for gypsum board systems (Channel UA) UA/40/75/40
<b>Code of the Product Type</b>	UA/40/75/40
<b>Commercial Name</b>	UA 75X40
<b>Intended Use</b>	Building construction works in conjunction with gypsum boards
<b>Manufacturer</b>	ELASTRON SA, Ag. Ioannis Str., Ag. Ioannis Aspropyrgos, 19300, Greece
<b>Verification of Constancy</b>	System 4
<b>Harmonised Standard Reference</b>	EN14195:2014 The initial type tests performed and the factory production control (FPC) are in accordance with the above standard's requirements

<b>Essential Characteristic</b>	<b>Performance</b>	<b>Harmonised Technical Specification</b>
Reaction to Fire	A1	EN14195:2014
Yield Strength	$\geq 140 \text{ N/mm}^2$	EN14195:2014
Dangerous Substances	NPD	EN14195:2014

The performance of the product identified above is in conformity with the declared performance identified in the table. This declaration of performance is issued in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer  
Aspropyrgos 27/04/21

Sinapis Mavroidis  
Technical Director



Tsironis Petros  
Quality Manager

